WO 2005/034970 PCT/IE2004/000143

<u>Claims</u>

1. Use of a live culture of a non-pathogenic food-grade probiotic bacterium in the treatment of infectious diseases.

5

2. Use as claimed in claim 1 wherein the infectious disease is a localised infection of the skin.

10

3. Use as claimed in any preceding claim wherein the probiotic bacterium is a non-pathogenic lactic acid bacterium.

4. Use as claimed in claim 3 wherein the lactic acid bacterium is a Lactococcus strain.

15

5. Use as claimed in claim 4 wherein the Lactococcus strain is selected from the group comprising; Lactococcus lactis DPC3147, Lactococcus lactis 5399, Lb. plantarum DPC4922.

20

6. Use as claimed in claim 1 to 5 wherein the disease is a mastitis infection.

Use of a freeze-dried preparation of a live culture of a non-pathogenic 7. food-grade probiotic bacterium in the treatment of infectious disease.

25

- 8. Use of the supernatant of a live culture of a non-pathogenic food-grade probiotic bacterium in the treatment of infectious disease.
- 9. Use as claimed in claim 8 wherein the infectious disease is a localised infection of the skin.

30

Use as claimed in claim 8 or 9 wherein the probiotic bacterium is a non-10. pathogenic lactic acid bacterium.

11. Use as claimed in claim 10 wherein the lactic acid bacterium is a Lactococcus strain.

WO 2005/034970 PCT/IE2004/000143

12. Use as claimed in claim 11 wherein the Lactococcus strain is selected from the group comprising; Lactococcus lactis DPC3147, Lactococcus lactis 5399, Lb. plantarum DPC4922.

5

13. Use as claimed in any of claims 8 to 12 wherein the disease is a mastitis infection.

10

Use of a live culture of a non-pathogenic food-grade probiotic bacterium or the supernatant of a live culture of a non-pathogenic food-grade probiotic bacterium in the preparation of a medicament for the treatment of infectious diseases of humans and animals.

15

- 15. Use as claimed in claim 14 wherein the infectious disease is mastitis.
- Use of a live culture of a non-pathogenic food-grade probiotic bacterium or the supernatant of a live culture of a non-pathogenic food-grade probiotic bacterium in a method of stimulation of the immune system.

20

17. Use as claimed in claim 16 where the live culture or supernatant is used to stimulate PMN cells.

25

18. A pharmaceutical composition comprising a pharmaceutically effective amount of a non-pathogenic live culture of a food-grade probiotic bacterium or a pharmaceutically effective amount of the supernatant of a live culture of a non-pathogenic food-grade probiotic bacterium together with a pharmaceutically acceptable carrier or diluent.

30

19. A method of treatment of infectious diseases comprising administering to a subject a pharmaceutically effective amount of a non-pathogenic live culture of a food-grade probiotic bacterium or the supermatant of a non-pathogenic live culture of a food-grade probiotic bacterium.

WO 2005/034970 PCT/IE2004/000143

20. A method of treatment as claimed in claim 19 wherein the infectious disease is localised to the skin.

21. A method of treatment as claimed in claim 19 wherein the infectious disease is localised to an infected wound.

5

15

25

- A method of treatment as claimed in claim 19 wherein the infectious disease is localised to the urinary tract.
- 10 23. A method of treatment as claimed in claim 19 wherein the infectious disease is mastitis.
 - Use as claimed in claim 1 whereby there is an accelerated improvement in the quality of milk from cows with mastitis.
 - Use as claimed in claim 1 substantially as described herein with reference to Tables 1 to 7 and Figures 1 to 17 of the Examples.
- A pharmaceutical composition as claimed in claim 18 substantially as described herein with reference to Tables 1 to 7 and Figures 1 to 17 of the Examples.
 - 27. A method as claimed in claim 19 substantially as described herein with reference to Tables 1 to 7 and Figures 1 to 17 of the Examples.